



## St Breward Parish Council

Invitation to quote for repair and refurbishment of bus shelter at Rylands, St Breward PL30 4PP

1. Strip away ivy from the building and dispose in a proper manner. Roots should be treated to ensure no regrowth.
2. Rake out crack in the beam above entrance to inspect steel reinforcement. If reinforcement is in sound condition, then the beam is to be re-rendered. If the steel reinforcement is corroded, then beam needs to be replaced (Parish Council representative to inspect and agree course of action on this item) Please quote for both scenarios.
3. Remove existing timber benches, dispose of them in a proper manner and replace with similar. (please give details of the replacement benches showing type, size and materials. PC will consider wood or plastic construction)
4. Construct a solid path from road edge to shelter. Details of construction and finish to be included. Any excavated materials to be removed from site.
5. Railings in front of shelter to be cleaned, rust removed and painted with a suitable paint. (Paint to be specified)

Quotes to be submitted to:

Clerk, St Breward PC

c/o Hantergantick Farm, St Breward.Bodmin.PL30 4NH or

[clerk@stbrewardparishcouncil.gov.uk](mailto:clerk@stbrewardparishcouncil.gov.uk)

**By 2<sup>nd</sup> April 2023**

for consideration at next Parish Council meeting on 3<sup>rd</sup> April 2023.